



Gove County Health Department **COVID-19 Vaccine Consent Form**

521 Garfield Street
Quinter, KS 67752
785-754-2147

WHAT TO DO IF YOU HAVE A REACTION TO THE COVID-19 VACCINATION

- Most people have side effects from the vaccination, but these usually only last 24 – 48 hours after receipt of the vaccination. A few people may have no side effects at all. Most people will experience pain, redness and/soreness at the injection site. Many people will have a headache, fever, chills, muscle pain and/or fatigue from the vaccine, particularly after the second dose. A few people will have nausea or swollen lymph nodes (lymphadenopathy).
 - In rare circumstances, the vaccine may cause a severe allergic reaction which can include anaphylaxis (difficulty breathing, swelling of the face and throat, a fast heartbeat, a rash all over the body, dizziness and/or weakness).
-

What should you do if you have a reaction?

If you experience any of the following:

- Red, sore arm at and around the injection site:
 - Apply an ice pack to the affected area for comfort.
 - If condition does not improve or worsens in 24 to 48 hours, call your physician.
 - Fever, achiness, fatigue and/or headache:
 - Take the non-prescription product that you would usually use for discomfort or fever relief as needed.
 - If condition does not improve or worsens in 24 – 48 hours, call your physician.
 - Unusual or severe reaction (for example, hives, difficulty breathing, wheezing, allergic reaction):
 - Immediately call your physician, call 911 or go to the emergency room or nearest urgent care center.
 - If you have seen your physician or visited the emergency room or an urgent care in relation to any of the reactions listed above, please notify the health department at 785-754-2147.
 - In addition, you may report vaccine side effects to the FDA/CDC Vaccine Adverse Event Reporting System (VAERS). The VAERS toll-free number is 1-800-822-7967 or report online to <https://vaers.hhs.gov/reportevent.html> Please include Moderna COVID-19 Vaccine EUA” in the first line of box #18 of the report form.
-

Information about the COVID-19 Vaccine

- The COVID-19 vaccines are not live virus vaccines so the vaccines cannot infect anyone with COVID-19.
- All needles and syringes are sterile, are one-time use and are safely discarded.
- According to data, the COVID-19 vaccine has approximately a 94% success rate in completely protecting those who receive it. The remainder have partial protection and will have greatly lessened symptoms if they do contract COVID-19.
- The vaccine will begin to provide protection about one to two weeks after the second shot of the series is given.
- At this time, we do not know how long the COVID-19 vaccine is effective for, so you may need future vaccines to remain protected.
- While the COVID-19 vaccination does provide protection against infection or greatly lessened symptoms if you contract COVID-19, you should continue to practice hand hygiene and use appropriate personal protective equipment (PPE).